REVISIONS AND ADDITIONS (As of 14 November 1962)

TO

(C) AEROSPACE FORCES BASED IN CUBA

S-25-62 ·

1 November 1962

This document is classified because it reveals evaluation of operational strengths of aerospace forces based in Cuba including information bearing on the subject.

WARNING

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18 U.S.C.C., SECTIONS 793 AND 794. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

Prepared by

for

ASSISTANT CHIEF OF STAFF/INTELLIGENCE HEADQUARTERS UNITED STATES AIR FORCE

PEN AND INK REVISIONS

	·
Page v, Par 4, line 5:	Change "56,000 feet with a 2 to 3 minute maneuver capability above 65.000 feet" to read - "50 to 55,000 feet with about 2 min. with no maneuver capability at 70,000 feet".
Page v, Par 4, line 8:	Change period after missiles to comma and add "and racks have been observed on fighters in Cuba".
Page vi, Par 1, line 3:	Change "15 months" to "13 months".
Page vi, Par 1, Line 12:	Change "Minimum altitude capability may be as low as 1,000 to 3,000 feet under ideal radar siting conditions." to read - "Minimum altitude capability estimated to be about 3,000 feet."
Page vi, Par 2, line 4:	Change last sentence to read "All antiaircraft weapons are highly mobile and those known to be in Cuba provide some deterrent against aerial targets up to 15,000 feet."
Page 7, Par 1, line 1:	Change "43 Transports" to "45 transports."
Page 7, Par 1, line 7:	Change "55 helicopters" to "67 helicopters".
Page 7, Par 1, line 8:	Change "At least 38 of these are MI-4/HOUND, a growth of about 30" to "At least 50 of these are MI-4/HOUND, a growth of more than 40".
Page 7, Par 1, line 11:	After last sentence add "it is used for both ground support and liaison purposes".
Page 9, Par 2, line 3:	Change "56,000 ft with a 2-3 minute maneuver capability above 65,000 ft" to "50 to 55,000 ft with about 2 minutes with no maneuver capability at 70,000 feet".
Page 9, Par 4, line 3:	Change "speed of Mach 2 at about 36,000 feet." to "speed of about 1,000 knots at about 36,000 feet with Air to Air Missiles aboard."
Page 9, Par 4, line 7:	Change "145nm without tanks, 290nm with one external tank:" to "290nm without tanks, 380nm with one external tank:"
Page 10, Par 6, line 4:	Change "2,500 feet may be expected." to read - "2,500 feet may be expected under radar conditions."

Page 28, Par 2, line 3:

Change "may be as low as 1,000 to 3,000 feet under ideal radar siting conditions." to read"estimated to be about 3,000 feet."

Page 30, Par H2, line 3:

Change "highly mobile and provide the Cubans with some deterrent against targets up to 45,000 feet." to read - "highly mobile and those known to be in Cuba provide some deterrent against aerial targets up to 15,000 feet."

PAGE CHANGES

ANNEX 1, Section F2, Page 25:

Remove page 25 and replace with page 25.

ANNEX 11, Table A:

Remove Table A, pages 37 and 38 and replace with Table A, pages 37 and 38.

ANNEX 11, Table D:

Remove Table D, pages 42 and 43 and replace with Table D, page 42.

ANNEX 11, Table E:

Remove Table E, page 44 and replace with Table E, page 43.

ANNEX 11, Table F:

Remove Table F, pages 45 thru 48 and replace with Table F, pages 44 thru 48.

ANNEX 11, Table G:

Remove Table G, page 49 and replace with Table G, page 49.

ANNEX 11, Table H:

Remove Table H, page 50 and replace with Table H, page 50.

ANNEX 11, Table I:

Remove Table I, page 51 and replace with Table I, page 51.

ANNEX 11, Table J:

Remove Table J, pages 52 and 53, replace with Table J, pages 52 thru 59.

ADDITIONS

1

ANNEX 1, Section F1, Page 23:

Add "Probable Operational Procedures at Cuban SS-4 MRBM Sites" pages 23a-b-c-d-e-f-g-h plus Figures 1-2-3-4.

ANNEX 1, Section 1, Page 32:

Add "Military Communications Links Between USSR and Cuba" page 32a.

ANNEX 11, Page 41:

Add "Explanations of Table Headings" page

ANNEX 11, Page 62:

Add Table M.

SUPPLEMENT TO ANNEX 1, SECTION F1

PROBABLE OPERATIONAL PROCEDURES AT CUBAN SS-4 MRBM SITES

- I INTRODUCTION
- II OPERATIONAL SEQUENCE AT CUBAN SS-4 SITES
 - A. San Cristobal Site #1
 - B. Probable Operational Sequence

III READINESS POSTURE

- Fostage h
- B. Posture 3
- C. Postage 2
- D. Posture 1
- E. Possible Alternate Posture

IV LIST OF FIGURES

FIGURE 1 - SAN CRISTOBAL SITE NO. 1

FIGURE 2 - SAN CRISTOBAL SITE NO. 1 - TYPICAL LAUNCH

FIGURE 3 - SAN CRISTOBAL SITE NO. 1 - CENTRAL PROPELLANT & PARKING AREA

FIGURE 4 - SAN CRISTOBAL SITE NO. 1 - WARHEAD AND NOSECONE CHECK-OUT, MATING AND HOLDING BUILDING

I. INTRODUCTION

Although the Soviets have now removed the SS-4 misside system from Cuba, valuable information can be derived from an analysis of the photography on these sites when they were in an operational status. Such analysis reveals probable operational procedures and flow of missiles through the various components of the site configuration and the most probable basic readiness posture for the site. Additionally, the information gained from this analysis provides important data for understanding more fully the operational procedures and techniques employed at MRBM sites in the Soviet Union.

San Cristobal Site #1 has been selected to illustrate the operational flow since it appears to be typical of field type configurations.

II OPERATIONAL SEQUENCE AT CUBAN SS-4 SITES

A. SAN CRISTOBAL SITE #1

The site (See Fig 1) is composed of 4 launch areas. Behind each launch position is located one or more ready tents equipped for missile checkout. Located in the immediate launch area are five van type vehicles believed used in the final electrical and pressure checks. - See Fig 1 and Fig 3.

A central propellant parking area is located to the rear of the four launch positions. Within this area are 16 oxidizer trailers and 8 fuel trailers. See Figs 1 and 3.

Approximately 2 mile to the rear of the launch area is an arched roofed concrete drive thru structure (to be earth mounded) which probably serves as assembly, checkout and storage for nose cones and warheads. Fig 1 and 4.

B. PROBABLE OPERATIONAL SEQUENCE

The following is a description of the sequence of operations as the missile progresses thru the components of site preparatory to launch:

- 1. The warhead and nose cone assembly are transported by truck directly to the arched roofed structure for checkout, mating with re-entry vehicle, and holding until scheduled for mating to the missile.
- 2. The missile on transporter errives at the on site central unloading area and here it is held until scheduled for checkout in the final ready building. -- This event is concurrent with 1.
- 3. The erector which is separate from the transporter is brought on site and is placed in position. Initially it may be located in a temporary position, then later on a concrete pad. -- The launch platform is emplaced. This operation is also concurrent with 1 and 2 above.
- the missile on transporter is brought up from the on site central storage to the final ready building the nose cone with warhead installed is moved from arched roofed building to the final ready building for mating with the missile. A temporary assembly and storage facility for nose cones may be required until the arched roofed building is completed -- evidence has not revealed this temporary storage, however, closely guarded van trucks could be used.

- 5. After this mating the missile is moved from the ready building to the erector. The five modular vans which are in the immediate launch area move to the missile for final checks of the electrical circuits, pressure systems and guidance. These checks will be initiated while the missile is in the horizontal position on its transporter. Power is supplied for this operation by diesel type generators at the launch position. See Figs 1, 2 and 3. Four trucks noted in the central fuel storage area are probably spare generators. See Figs 1 and 3.
- 6. The missile is erected so that fittings on the missile are compatible with the connections and fittings on the launch pad platform and guidance ring. The final guidance adjustments are made before and while fueling is being accomplished. Theodolites are observed in the immediate area approximately 100 feet away one per launcher.
- 7. Fueling occurs with the missile in the erected state. Two oxidizer trucks with probably red fuming nitric acid and one fuel truck with amine type fuel move in from the on site central fuel parking area (see Fig 1 and 4) to perform this function. High speed fueling techniques are probably employed and would require from 5 to 10 minutes only.
- 8. Modular vehicles, fuel trucks, other mobile equipment and personnel are removed from the area before launch occurs.
- 9. While the foregoing operations are underway the refire missile has been moving through the sequence and should be ready for final checkout, step 4 above.

III READINESS POSTURE

The SS-4 MRBM system is apparently completely road transportable. The field modular sites in Cuba appeared to be operational by 23 October 1962. Analysis of the site layout and facilities provides insight into their probable reaction capability.

Four readiness postures will be applied to these sites and an estimate made as to the minimum time required by the site to proceed from each posture

to launch. For the purpose of this discussion these readiness postures will be designated as Posture 4, Posture 3, Posture 2 and Posture 1.

A. READINESS POSTURE 4 - DESCRIPTION

Non alert status.

Launch crews not on alert. 'Nose cone and missile checked but not mated. Missile guidance system not adjusted for particular target and missile not erected for fueling.

It is believed that the above posture represents a condition in which equipment, missiles, and personnel are not in alert status. It is, therefore, assumed that a readiness state more advanced than Posture 4 would be maintained during periods of tension.

B. READINESS POSTURE 3 - DESCRIPTION

- 1. Missile in ready tent near launch position.
- 2. Nose cone assembly including guidance, and warhead are mated to the missile and checked.
- 3. Horizontal checkout of electrical circuits and pressure systems have been completed.

Missiles were not identified at the launch platform of any site. However, missiles on transporters were observed parked in an area adjacent to the ready tents. This tends to indicate that the missiles are checked out in the ready building. The two missiles observed outside the ready tents at San Cristobal #1 probably were awaiting checkout or had been thru the horizontal checkout cycle and moved out of the ready tent to provide room for checkout of the refire missile. See Fig. 3. It is estimated therefore that the SS-4 field sites were probably in Posture 3 at that time.

(In absence of evidence on the location of nose cone/warhead assembly, the estimate of Posture 3 was based on the assumption that the re-entry vehicle had been mated to the missile and all horizontal checks completed).

The additional procedures or steps required to move the missile from Posture 3 to launch are outlined below in sequence with estimated minimum time for each step:

STEP 1 - MOVEMENT OF MISSILE FROM READY TENT TO ERECTOR

The distance involved in this move is only several hundred feet. However, the missile transporter must be backed and maneuvered into exact position so that couplings on the erector, transporter and pad platform are compatible for fastening.

TIME: 10 Minutes.

STEP 2 - ERECTION OF THE MISSILE

After the transporter, erector and pad platform are properly aligned, coupling of these units is accomplished and the missile is adjusted and secured for erection. The missile is then raised to the vertical position by an erector arm probably utilizing an electro hydraulic winch. For this operation the missile must be positioned so that when erected fittings and connections are compatible. The missile is positioned, leveled, and stabilized on the launch platform by buy wires. Precise positioning and orientation of the missile on the platform to its basic firing azimuth is required.

TIME: 30 Minutes (Minimum)

STEP 3 - FUELING

Propellant loading is accomplished with the missile in the erected state two oxidizer trucks (approximate capacity 4500 gal.) utilizing red numing nitric
acid and one fuel truck, (approximate capacity 4500 gal.), probably with amine
perform this operation in from 5 to 10 minutes - this time is compatible with
collateral information on Soviet MRBMs. Fueling time is accomplished concurrent
with final adjustments and does not prolong reaction time.

TIME: 5-10 Minutes.

STEP 4 - FINAL ADJUSTMENTS

Critical checks and final adjustments are accomplished concurrent with fueling. These checks probably include a final recheck by modular equipment of certain critical circuits. Final adjustment of internal guidance components such as the gyrc -- and adjustment of the platform ring and theodolite are also required. The 15 minutes allotted for these final adjustments is also

compatible with collateral data and technical estimates based on U. S. analysis and analog.

TIME: 15 Minutes.

REMOVAL OF EQUIPMENT

Upon completion of final adjustments the mobile launch serving equipment and personnel are removed from the immediate launch erea. TIME: 5 Minutes. POSTURE 3 REACTION TIME: 60 Minutes. This estimate represents absolute minimum time assuming a flawless operation.

The advantage of Posture 3 is the missile is under environmental cover and in a relatively advanced alort state. It can be sustained at this readiness stage for longer periods than is possible at more advanced readiness postures since the missile and at least part of the monitoring equipment would be protected from the elements.

C. POSTURE 2 - DESCRIPTION

- 1. Missile at launch point in erected position.
- 2. Initial guidance calibration checks have been accomplished and all checks normally made in horizontal position have been completed.
 - 3. Missile is not fueled.

The principal difference between Posture 3 and 2 is that in Posture 2 the missile has been erected and all critical checks completed except fuciload and final guidance - the 5 to 10 minutes allotted for propellant loading is the principal time consumed in launching from this posture. Final guidance rechecks are probably accomplished concurrent with the propellant loading. Reaction time from Posture 2 is estimated to be approximately 20 to 25 minutes minimum. This posture can be sustained for prolonged periods provided continual checks of the guidance calibration and critical circuits are maintained.

D. POSTURE 1 - FUELED READY

It is possible that the Cuban sites could have assumed a fueled ready posture. Such a posture is feasible since the SS-4 system is estimated to use storable propellants. This posture possibly can be sustained for several weeks provided continued checks of the guidance and critical circuits are maintained. The limiting feators being unfavorable weather conditions and deterioration of


breaks would enhance the ability to hold this posture - no such protection was ever noted at the Cuban sites. Reaction time from fueled ready is estimated to be 5 to 10 minutes.

E. POSSIBLE ALTERNATE POSTURE

The following description is of an alternate posture which conceivably could have been assumed in time by the Cuban MRBM sites.

- 1. Missile at launch point in horizontal position.
- 2. Nose cone assembly including guidance and warhead are meted to the missile and checked.
- 3. Horizontal checkout of electrical circuits and pressure systems have been completed.

The principal difference between this alternate Posture and Posture 3 is that the missile is held at the launch pad in horizontal checked out position rather than in the ready building. This posture would cut reaction time in that time required to move to the launch pad and maneuver into position and fasten couplings for erection is eliminated. It also may reduce the number of final re-checks or adjustments. Since the missile is not moved, delicate circuits are less likely to be damaged. The principal advantage of this posture tould be quicker reaction. The disadvantages being inability to sustain readiness for prolonged periods. However, if the missile were held in horizontal checked out posture under environmental cover at the launch position this disadvantage would be eliminated. Evidence on the Cuban sites however, does not support this readiness condition. Reaction time from this possible alternate posture would be approximately 45 minutes.







COASTAL DEFENSE CRUISE MISSILE SITES

Photography subsequent to 29 October 1962 indicates the SSCM launchers are connected by cable with a probable WHIFF-type tracking radar, as well as other electronic vans. All four sites appear to be "field" type installations rather than permanent facilities.

Campo Florida is now considered a possible rather than a firm SSCM site.

A new cruise missile site has been identified in the vicinity of La Sierra near the port of Cienfuegos. The site appears to be operational and contains the same essential elements as those found at the Banes site.

c. State of Training

No information is available as to crew training status. It is assumed that all SSCM sites are manned at least in part by Soviec "advisers" who have received operational training in the USSR, and further, that they will provide OJT to assigned Cuban personnel.

d. Order of Battle Table

Current order of battle data for coastal defense SSCM's is presented in the following table:

NAME		NO. LAUNCHERS	NO. MISSILES 2/
La Sierra		2	6-6
Banes		2	6-8
Siguanea		2	6 - û
Santa Cruz del Norte		2	6 -8
Campo Florida 1/		2	6-8
	TOTALS	10	30-40

^{1/} Possible

^{2/} Missile estimate based on numbers of missiles transporters sighted at launch sites

Page Not Available

SUPPLEMENT TO ANNEX 1 SECTION 1

· LILITARY COMMUNICATIONS LIERS BETWEEN USER AND CUBA

On 23-24 Cetober 1962, two new communications links (link "A" and link ") between the USSR and Cuba appeared, but pracise locations of the etacions have now been determined. These initially uses Manual Marks. The fact contract of the characteristic and been determined. These initially uses Manual Marks. The fact contract of the characteristic and the contract of the characteristic and the contract of the characteristic and the contract of the "8", and contract the "8", and contract the contract of the con

Initial use of Soviet radiofelephone communications on a Soviet Cuben line (Link "B") was observed on 2 November.

The Kudma VLF Broadcast facility (callsign UKY) is operating in support of Links "A" and "B". On 4 November, the same message was passed on Links "A" and "B" and on the Kudma VLF Broadcast.

No evidence has come to light to date to support the theory that the Kudma VLF facility could or did actually support the Soviet missile forces in Cuba. The same is true regarding Links "A" and "B", as well as the Soviet Strategic Rocket Troops' HQ Broadcast facility (with diverse frequencies) from Moscow which is believed to have the capability to support deployed missile units throughout the world. Both facilities, however, are strong candidates for such a function.

The two new links appearing on 23 & 24 October, as supplemented by their scrambler facilities, would have met the requirements of the deployed offensive missile units in Cuba for a communications system which is both very secure and capable of handling large volumes of traffic.





TABLE A

								7/
NICKEUME/ SOV DEFICIATION	DESIGN ROLE	MAX SPEED AT ALT	RADIUS, OPT MISSION	2/ AI RADAR	3/ IR S IGHT	4/ <u>A</u> AM	COMBAT CEILING	TACTICAL .** ARMAMENT
FAGOT MIG-15	Day Ftr	.92/35,332	<u>5</u> / 575	No	СМ	No	51,000	1 x 37mm gun 2 x 23 mm guns 2 x 5501b bombs
FRESCO ME MIG-17	Day Ftr	.95/36,089	<u>5</u> / 5≒0	Range Only in some	Yes	Po IR	53,400	1 External Tank 1 x 37mm gun 2 x 23mm guns 1 x 1001b bomb
								Internal Tank 1 x 37mm gun 2 x 23mm guns 2 x 5501b bombs
FRESCO C MIG-17	Day Ftr	.97/36,089	<u>5</u> / 510	Range Only in some	Yes	Po IR	54,500	1 x 37mm gun 2 x 23mm guns 4 x IR Missiles 2 x 550lb bombs
FRESCO D MIG-17	A/W Ftr	.97/36,089	5/ 510	SCAN ODD 5/3 (Manual)	Yes	IR/BR	54,500	3 x 23mm guns 4 x IR Missiles or 4 Semiactive homing missiles or 4 ER missiles
FARMER A MIG-19	Day Ftr	1.27/32,800	<u>5</u> / 520	Range Only SCAN FIX	Yes	Po IR	54,600 -	External Fuel: 1 x 37mm gun 2 x 23mm guns 2 x 210mm rockets
							•• •	Internal Only 1 x 37mm gun 2 x 23mm guns 2 x 5501b bombs

nickname/ sov designation	design Role	MAX SPEED	RADIUS OPT MISSION	2/ AI RADAR	3/ IR SIGHT	4/ AAM	COMBAT CEILING	T/ TACTICAL ARMAMENT
FISHBED C MIG-21	Day Ftr	1.75/36,089	5/ 380	Range Only HIGH FIX	Yes	IR	50,960	Internal Fuel 2 x 30mm guns 1-1100 lb bomb
						٧		1 Ext Fus.Tank 2 x 30mm guns 18-19 x 55mm rockets
BEAGLE IL-28	Jet Lt Bmr	ग्रेग्०/35,000	6/ 590	No	No	Мо	44,300	2 x 23mm guns in tail turret 2 x 23mm fixed forward firi in nose of fuselage
						•		6600# bomb load without external fuel 4400# with 440 gal external fuel

Figures for optimum area intercept mission.

Figures represent search/track range in nautical miles.

IR sight gives azimuth info only.

IR - infrared homing; BR - beam rider.

With external fuel tanks.

Without tip tanks; with tip tanks - 740.
Performance figures in other columns do not apply when tac armament employed for ground support.

EXPLANATION OF TABLE HEADINGS

A standard format has been used throughout the tables. The left side of the page contains reference information. The columns, in the order in which the codes appear are:

(military districts), CN (Country), and AD (air defense district), and geographic coordinate column. The remaining codes are:

C Security classification*

DESIG Identifying designation*

C Security Classification*

E Evaluation

Measure of assurance in the intelligence presented:

F Firm

P Probable

NA/LO/UNIT/EQUIP/REMARKS

Where applicable, in the order listed: name, location, unit, equipment, remarks

E Evaluation

Measure of assurance in the intelligence presented:

F Firm

P Probable

STR Strength Code

This column lists strength by model.

Security Classification*

CAPAB Runway and capability code
On airfields, the number stands for

On airfields, the number stands for runway length, i.e., 082 translates to 8,200-foot runway. The letter following this number is the runway surface code:

A Concrete

B Asphalt or bitumen-bound macadam

The capability code is opposite and to the right of equipment:

A Nuclear weapon (AE)

Line Control number

Each line of a table is numbered for the purpose of effecting changes between issues. Additions will be handled by a number plus a letter.

^{*&}quot;C" stands for Collateral. Items so designated may be extracted provided SECRET classification is used. It is planned to have a security classification on all items.

CUBAN MILITARY AIR TRANSPORT STRENGTH

MD	CN A	D COORDINATES	C DESIG	CE	NAME/UNIT/EQUIPMENT/REMARK	S E STZ	C CAPAB	l.ine
	CU	19-58-10N 077-50-10W		C F	· ANTONIO MACEO		() #) 3	1
	CU	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2		Č F	- CRATE	F 002	0, 0, 0	ż
	2.27			Ų,	0/1	1 (N/2		
	CU	21-25-13N 077-50-50W		CF	CAMAGUEY INTERNATIONAL		080 B]}
	CU		· ·	C F	- CRATE U/1	£ 003		3 %
	CU	22-29-40N 079-56-15W		CF	CAMILO CIENFUEGOS		101.8	3
	CU		•	C F	- CRATE	F 001		5 6
		in a second of the CDQ and the second of the gapes.			0/1			
	CU	22-59-35N 082-24-12W		C F	JOSE MARTI INTERNATIONAL		HUL A	7
	CU			CF	CRATE	F Office	-	8
	CU			CF	COLT	₽ 007		9
	CU			CF	Cm4/3	F 001		10
	CU			CF	C-26	F 905		3.3
	CU			CF	C-27	F 002		12
	CU	-		CF	C54	F 002		13.
	CU CU			C F	C-121 IST TRANS REGI	F 004		14
	CU			CF	BRITANNIA	F 000		15
	CU	23-05-35N 082-26-10W		C F	CAMPO LIBERTAD		067-3	16
anistian	CU	·		C F	S C-45 U/I	F 00)	•	17
स्थानसम	CU			CF	VENTURA	F 001		18
	CI			C F	COLT	F 000		19
	CU	22-56-16N 082-30-3/W		C F	SAN ANTONIO DE LOS BANOS		ଞଃଶ₄	20
	CU			C F	S CRATE U/I	F 90).		2)
	CU			CF	C1,7	F 003		22
	CU	23-02-04N 082-34-41W	•	CF	PLAYA BARACOA		058 B	23
	CU	·		CE	R HOUND	P 050	•	21
	CU				0/1	-		
	CC °	· ·		CF	HARE (POSS SOVIET	P 0),7		25

TABLE E

CUBAN REVOLUTIONARY AIR FORCE AIRCRAFT ORDER OF BATTLE

MD	CN AD	COORDINATES	C DESIG C E	NA/LO/UNIT/EQUIP/REMARKS	E STR C	САРАВ (INE
	CU CU CU CU CU CU CU	22-53-//N 082-32-//W	. C F C P C F C F	H SAN ANTONIO DE LOS BANOS D SAN ANTONIO DE LOS BANOS FTR DIV HQ SAN ANTONIO DE LOS BANOS R FAGOT/FRESCO FRESCO D FARMER FISHBED POSS FEW FARMER B	F 018 P 004 F 008 F 009	088 A	1 2 3 4 5 6 7 8 9
	CU CU CU	22-31-//N 079-55-//W	C F	CAMILO CIENFUEGOS R FAGOT/FRESCO R FISHBED C	F 016 F 030	085 į B	15 11 10
	CU CU	21-25-//N 077-51-//W	C F	CAMAGUEY S FAGOT/FRESCO	€ 012	080i B	13 14
	CU CU	20-47-37N 076-18-20W	C F	HOLGUIN FAGOT/FRESCO	F 006	088 B	15 16
•	CU CU	·22-53-//N 982-32-//W	, CF	SAN ANTONIO DE LOS BANOS S INVADER (B-26) NOT ALL ARE OPERATIONAL	F 012	088 A	17 18 19
के डे ड	CU CU CU CU	22-05-40N 084-09-07W	C P	SAN JULIAN BEAGLE TAC STRIKE/RECON: 7 FULLY ASSEMBLED: 6 IN VARIOUS STAGES OF ASSEMBLY	P 033	07 0 8	20 21 22 23 24
	CU CU CU	20-47-37N 976-18-20W	C P	HOLGUIN BEAGLE TAC STRIKE/RECON: ALL IN CRATES	P 009	088 B	25 26 27 28

TABLE F

CUBAN RADAR ORDER OF BATTLE
(EARLY WARNING/GROUND CONTROL INTERCEPT)

MD CN	AD COORDINATES	C DESIG C E	NAME/EQUIPMENT/REMARKS	E STR C CAF	PAB LINE
CU	22-50-//N 082-35-//W		ALQUIZAR	-	1
CU			TOKEN	1	2
CU			EW		2 3 4 5 6 7
CU	21-18-//N 078-30-//W		ALTAMIRA	••	4
CU			TOKEN	1	5
CU	05 07 110 07/ 00 1/0		EW/GCI		6
CU	20-35-//N 076-00-//W		ALTO CEDRO	-	7
CU			SR-3A	1	8
CU	00 50 1/2 605 15 1/2		EW		9
CU	22-50-//N 082-45-//W		ARTEMISA		_ 10
CU			TOKEN	1	. 11
CU CU	23 05 //81 007 55 //4		EW/CGI		12
CU	21-05-//N 075-55-//W		BANES		13
CU			KNIFE REST A	. 1	14
CU			BFCN BARLOG#	1	15
			BARLOCK	. <u></u>	16
			FLATFACE SPOON REST	j	17
	•		GCI	i	18
CU	20-06-//N 075-20-//W		CABANAS	5.4 s	19 20
00	20-00-//11 0//-20-//11		TOKEN	1	21
			ROCK CAKE	1	22
			SPOON REST	1	_ 23
্ ইন্টার্			GCI .	1	24
CU	21-50-//N 084-53-//W		CABO SAN ANTONIO		25
	- 2 .,		KSA	1	26
			EW	4	27
	22-28-//N 079-30-//W		CAIBARIEN		28
			KNIFE REST A	1	29
			STONE CAKE	l	30
			BAR LOCK	1	31
			SPOON REST	1	32
			EW		33
	22-43-//N 082-26-//W		CAMACHO		34
			TOKEN	1	35
1 t 4			WOOD GAGE	1	36
``•			EW/GCT		37

MD	CN	AD	COORDINATES	C DESIG C E	NAME/EQUIPMENT/REMARKS	E STR C CAPAB	LINE
	CU		21-21-//N 077-51-//W		CAMAGUEY		38
	CU				TOKEN	1	39
	CU				BAR LOCK	1	40
	CU		ě		ROCK CAKE	1	41
	CU				STONE CAKE	. 1	42
	CU				GCI	- . ·	43
	CU		22-13-//N 078-53-//W		CHAMBAS	•	44
	CU				TOKEN	1 .	45
	CU				BFCN	1	46
	CU				SPOON REST	1	47
	CU				KNIFE REST -A	1	48
	CU				STONE CAKE	1	49
	CU				GCI .		50.
	CU		22-14-//1 080-18-//	•	CIENFUEGOS		51
	CU				TOKEN	1	52
	CU				•		53
	CU				STONE CAKE	1 .	54
	CU				BAR. LOCK	1.	55
	CU				FLAT FACE	1	56
	CU				CCI	4	57
	CU		19-57-//N 075-53-//W		SANTIAGO EL CUBA	<i>*</i>	58
					BFCN	. 1-	59
	CU		0		MC	· ·	60
	CU		21-55-//N 078-13//W		ESMERALDA		61
	CU				BFEN	1	62
	CU				KNIFE REST A	1	63
	CU				BAR-LOCK	1	64
	CU CU				STONE CAKE	1	65
			00 04 15 000 07 15		GC I	.**	66
	CU		22-26-//N 080-05-//W		ESPERANZA	_	67
	CU		•		CR-106	1	68
	CU		00 55 1/2 005 0/ 1/2		EW		69
	CU		22-55-//N 081-26-//W		GUAMACARO		70
	CU				TOKEN	2	71
	CU				BAR LOCK	1	72
	CU CU				KNIFE REST A	1	73
					FISH NET	1	74
,	CU		•		GCI		75

MI	D CN	AD COORDINATES	C DESIG C E NAME/EQUIPMENT/REMARKS	E STR C CAP	AB LINE
	·CU	22-57-//N 082-43-//W	GUANAJAY		7 6
	CU		TOKEN	1	77
	CU		EW/GCI		78
	CU	22-05-//N 084-08-//W	GUANE		79
	CU		KNIFE REST A	1	80
	CU		STONE CAKE	1	81
	CU	•	BAP LOCK	1	82
	CU	00 10 1/2 000 00 1/2	GCI	•	83
	CU	22-43-//N 082-37-//W	GUANIMAR	-	84
	CU		TOKEN	1	85 86
	CU	02 02 //N 002 28 //W	EW/GCI		-87
	CU CU	23-03-//N 082-37-//W	HAVANA FIRE CAN	1	88 ⁻
			TOKEN	1	89
	CU		BAR LOCK	1	90
	CU		ROCK CAKE	1	91
	CU		GCI - CARE	,	92
	CU	23-08- //N 082-17-//W	HAVANA		93
	CU	25-00-7/N 002-17-7/N	KNIFE REST A	· 1	94
	CU		FLAT FACE	î	95
	CU		SPOON REST	1	96
	CU		EW THE PERSON	-	97
	CU	22-18-//N 083-32-//W	LA COLOMA	- '	98
	CU	, , ,	KNIFE REST A	1	99
\$856	CU		EW		100
CC-S	· CU	23-07-//N 081-38-//W	MATANZAS		101
	CU		TOKEN	1	102
	CU		FLAT FACE	1	103
	CU		KNIFE REST A	1	104
	CU		STONE CAKE	1	105
	CU		BAR LOCK	1	106
	CU		-GCI		107
	CU	22-51-//N 083-25-//W	NI AGARA		108
	CU		TOKEN	1	109
	CU		FLAT FACE	1	110
	CU		GC1		111
	CU	22-22-//N 079-46-//W	PLACETAS	•	112
	CU		TOKEN	1 ~	113
	CU		EW/GCI		. 113A

MD CN AD	COORDINATES	C DESIG C E	NAME/EQUIPMENT/REMARKS	E STR C C	APAB LINE
CU	22-50-//N 080-05-//W		SAGUA LA GRANDE		114
CU		•	TOKEN	1	115
CU			BAR LOCK	1	116
CU			KNIFE REST A	.1	117
CU		•	STONE CAKE	1	118
CU	•		ROCK CAKE	1	119
CU	į		FISH NET	1	120
CU	· ·		SPOON REST	1	121
CU		•	FLAT FACE	1	122
CU			GCI	_	123
CU	22-51-//N 082-31-//W		SAN ANTONIO DE LOS BANOS		124
CU			TOKEN	1	125
CU	•		FIRE CAN	1	126
CU			RATHGON	1	127
CU	20 50 //2 000 10 //2		EW		128
CU	22-58-//N 082-19-//W		SAN ANTONIO VEGAS	_	129
CU			TOKEN	1	130
CU CU			FIRE CAN	1	131
CU	32 22 //N 000 /1 //W		GCI	• .	132
CU	22-33-//N 079-41-//W		SAN ANTONIO VUELTAS	1	133
CU			TOKEN	1	134 135
CU	22-57-//N 082-06-//W		EW/GCI		136
CU	22-57-7/N U02-U0-7/W		SAN JOESE DE LAJAS	1	137
CU	· .		TOKEN FIRE CAN	1	137 138
SE CU			EW/GCI	1	139
CU	22-29 -//N 079-57-//W		SANTA CLARA		140
CU	22-29-//N 0/7-)/-//N		TOKEN	1	141
CU			BAR LOCK	1	142
CU	ř.		KNIFE REST A	1	142
CU ·			FIRE CAN	l	144
CU			CHEESE BRICK	1	145
CU		•	STONE CAKE	1	146
CU			GCI		147
CU	20-05-//N 075-00-//W		SANTIAGO DE CUBA		148
CU	~~ 0)-//H 0/)-00-//H		TOKEN	1	149
CU			FIRE CAN	ì	150
CU			EW EW	1	150A
V			en		1 DUA

29997479595556556555565656

MD CN AD	COORDINATES	C DESIG C E .	NAME/EQUIPMENT/REMARKS	E STR C CA	PAB LINE
CU	21-36-//N 077-33-//W		SENADO		151
CU			BFCN	1	152
CU			SPOON REST	1	153
CU	•		KNIFE REST A	1	154
CU		•	MC	· -	155
CU	21-52-//N 078-44-//W		ZANJA	•	156
CU			BAR LOCK	1	157
CU	•	•	SPOON REST	1	158
CU			FLAT FACE	1	159
CII			GCI	· ·	160 _

TABLE G
SOVIET MRBM/IRBM MISSILE ORDER OF BATTLE IN CUBA

MD CN A	D COORDINATES	C DESIG C E : NAME/EQUIPMENT/REMARKS	E STR C CAPAB L	INE
CU	22-39-08N 079-52-00W	SAGUA LA GRANDE,		1
	•	NO. 1. MRBM (SS-4)	0	2
CU	22-43-44N 080-01-40W	SAGUA LA GRANDE,	•	3
		NO. 2, MRBM (SS-4)	0	ĺ.
CU	22-40-05N 083-17-55W	SAN CRISTOBAL,		4
		NO. 1, MRBM (SS-4)	0	ė
· CU	22-40-50N 083-15-00W	SAN CRISTOBAL.		7
	•	NO. 2. MRBM (SS-4)	O	.8
CU	22-42-40N 083-08-15W	SAN CRISTOBAL,		9
		NO. 3. MRBM (SS-4)	0	1Ó
CU	22-46-55N 082-58-50W	SAN CRISTOBAL.	~	11
		NO. 4. MRBM (SS-4)	0	12
CU	22-56-50N 082-39-20W	GUANAJAY, NO. 1.		13
		IRBM (SS-5)	0	14
CU	22-57-20N 082-37-05W	GUANAJAY, NO. 2.		15
		IRBM (SS-5)	0	16
CU	22-25-00N 079-35-00W	REMEDIOS.	•	17
		IRBM (SS-5)	Ó	18
		777 7 77 -		i9
				20

Note: ALL SITES HAVE BEEN DISMANTLED.

TABLE H

CUBAN SURFACE-TO-AIR MISSILE SITES (SA-2)

MD CN AE	COORDINATES	C DESIG C E '_ NAME	E STR C CAPAB	LINE
CU	22-57-32N 083-17-28W	BAHIA HONDA	6	1
CU	20-06-20N 075-20-15W	CABANAS	6	2
·CU	22-28-23N 079-29-40W	CAIBARIEN	6	3
· CU	22-13-20N 078-53-30W	CHAMBAS	6	4
CU	21-07-20N 076-26-20W	CHAPARRA	6	4 5 6
CU	21-42-13N 078-50-21W	CIEGO DE AVILA	6	6
CU	22-02-50N 080-24-20W	CIENFUEGOS	6	7
CU	22-59-31N 080-45-47W	DELEITE	6	8 9
CU -		ESNERALDA	6	9
CU	23-09-25N 082-13-32W	HABANA	6	10
· CU	20-21-00N 076-20-00W	JIGUANI	. 6	11
CU	22=18-42N 083-32-35W	LA COLOMA	6	12
CU	21-00-40N 075-41-43W	LOS ANGELES	6	13 -
CU	21-13-45N 077-02-15W	MANATI	6	14
CU	20-18-20N 077-06-08W	MANZANIILLO	6	15
CU	23-00-55N 082-49-30W	MARIEL	. 6	16
CU	23-01-50N 081-29-14W	MATANZAS	6	17
· CU	22-51-10N 080-05-50W	SAGUA LA GRANDE	6	18
CU	22-05-28N 084-08-58W	SAN JULIAN AF	6	19
CU	21-47-45N 079-29-30W	SANCTI SPIRITUS	· 6	20
CU	22-41-05N 083-55-45W		6	21
CU	19-59-20N 075-50-58W	SANTIAGO DE CUBA	6	22
	21-36-30N 077-33-31W	SENADO	6	23
CU	21-37-33N 082-57-33W	SIGUANEA	6	24

TABLE I

CUBAN SURFACE-TO-AIR MISSILE SERVICE AND SUPPORT FACILITIES

MD CN AD	COORDINATES	C DESIG C E	NAME	' E STR C CAPAB LINE
·CU	21-51-50N 078-44-01W		CIEGO DE AVILA	1
CU	22-36-05N 080-05-10W		CIFUENTES	2
CU CU	20-18-//N 077-06-//W 22-21-00N 083-39-00W		MANZANILLO DINAD DEL DIO	3
CU	21-47-//N 079-29-//W		PINAR DEL RIO SANCTI SPIRITUS	4
CU	2003-10N 075-53-20W		SANTIAGO DE CUBA	6
CU	22-57-40N 082-21-30W		SANTIAGO DE LAS VEGAS	7
CU	21-04-40N 077-00-00W		VICTORIA DE LAS TUNAS	8

TABLE J

CUBAN ANTIAIRCRAFT ARTILLERY ORDER OF BATTLE

M	D CN AD	COORDINATES	C DESIG C E	NAME/EQUIPMENT/REMARKS	E STR C	CAPAB LINE
	· CU	20-51-//N 075-45-//W		ANTILLA		_
				AAA EMPLACEMENT.	•	i -3
				STATUS UNKNOWN		3
	CU	22-04-//N 080-19-//W		ARIMAO		í
				QUAD (4 BARREL AA		<u>د</u> ج
				MACHINE GUN)		6
	CU	22-50-39N 082-48-20W		ARTEMISA		1 2 3 4 5 6 7 e 5
				9 AAA EMPLACEMENTS,		, e
	CU	20 55 0/8 005 10 0/6		STATUS UNKNOWN		•
	CU	20-55-0/N 075-42-0/W		BANES		10
	CU	22-59-//N 082-32-//W		37-MM AAA	6	11
	00	22-39-7/N U82-32-7/W		BAUTA		12
				QUAD (4 BARREL AA	6	12
	CU	22-57-//N 082-36-//W		MACHINE GUN)		14
				CAIMITO DE GUAYABAL		15
		-		AAA EMPLACEMENT,		lć
	CÜ	21-25-0/N 077-51-0/W		STATUS UNKNOWN CAMAGUEY		17
				QUAD (4 BARREL AA	•	18
				MACHINE GUN)	. 8	19
		•		37-MM AAA	•	20
	CU	23-07-//N 082-07-//W		CAMPO FLORIDO		21 22
				QUAD (4 BARREL AA	6	4.c
				MACHINE GUNS)	G	23
	CU	23-02-//N 081-13-//W		CARDENAS NO. 1		2/
886				QUAD (4 BARREL AA	. 6	25 26
NO-PA				MACHINE GUNS)	. •	27
	CU	23-02-//N 081-13-//W		CARDENAS NO. 2		28
		,		QUAD FL BARREL AA	6	29
	CU	22 22 4/2 222 24		MACHINÉ GUNS)	•	
	CU	23-09 -//N 082- 2)-//W		CASA BLANCA		3 1
				37-MM	6	32
				QUAD (4 BARREL AA	6	33
	CU	22.59 0/N 001 12 0/m		MACHINE GUN)		30 33 33 33 33 33 33 33 33
	00	22-58-0/N 081-13-0/W		CEIBA MOCHA		
				QUAD (4 BARREL AA		3.0
				MACHINE GUN)		2.5

N	ID CN AD	COORDINATES	C DESIG C E .	NAME/EQUIPMENT/REMARKS	E STR C CA	PAB LINE
	·CU	21-09-0/N 076-28-0/W		CHAPARRA (DEF TREJAR)		38
				37-MM AAA	6	39
	CU	22-09-//N 080-27-//W		CIENFUEGOS	J	40
				30-MM	12	41
				TWIN AAA		42
				QUAD (4 BARREL AA	36	43
		00.00 0/21 0.00		MACHINE GUNS)	- -	44
	CU	22-09-0/N 080-27-0/W		CIENFUEGOS		45
		00 .0 -04 -4-		30-MM TWIN AAA	4	46
	CU	23-10-10N 082-17-15W		COJIMAR NO. 1	·	47
				LIGHT AAA	7	48
				(CALIBER UNKNOWN,		~ 49
	CU	22 00 201 002 10 201		59-MM OR LESS)		50
	CO	23-09-20N 082-17-30W		COJIMAR NO. 2		
				AAA EMPLACEMENT,		52
	CU	20-11-//N 075-48-//W		UNOCCUPIED		53
	00	20-11-//N 0/5-46-//W		DOS CAMINOS	_	54
				QUAD (4 BARREL AA	6	51 52 53 54 55 56
	CU	20-05-0/11 075-47-0/W		MACHINE GUNS)		5 6
		20 07 07 07 07 07 07 1		EL CANEY (DEF DOS BOSCAS		57
				QUAD (4 BARREL AA	6	58
	CU	23-07-0/N 082-15-0/W		MACHINE GUNS) GUANABACCA		59
		3 1. 41. 332 17 67 W		AAA EMPLACEMENT.		60
	.~	- '		STATUS UNKNOWN		61
7844F	CU	20-02-20N 075-04-35W		GUANTANAMO NO. 1		- 62 63
				3 AAA EMPLACEMENTS.		64
				STATUS UNKNOWN		65
	CU	20-06-15N 075-23-58W		GUANTANAMO NO. 10		66
				1 AAA EMPLACEMENTS, STATI	IS TINKNOWN	67
	·CU	20-05-50N 075-23-50W		GUANTANAMO NO. 11	o orderour	68
				1 AAA EMPLACEMENTS, STATE	IS LINKNOWN	69
	CU	20- 06- 0 0N 075-24-00W		GUANTANAMO NO. 12	01124101111	70
		••		1 AAA EMPLACEMENTS, STATT	IS UNKNOWN	71
	CU	20-07-04N 075-11-09W		GUANTANAMO NO. 13		72
				1 AAA EMPLACEMENTS, STATT	JS UNKNOWN	73

MD	CN .	AD COORDINATES	C DESIG C E	NAME/EQUIPMENT/REMARKS	E STR C CAPAB LINE
	CU	20-07-37N 075-12-24W		GUANTANAMO NO. 14	74
				1 AAA EMPLACEMENTS,	75
				STATUS UNKNOWN	76
	CU	20-06-30N 075-24-20W		GUANTANAMO NO. 15	77
				6 AAA EMPLACEMENTS,	78
				STATUS UNKNOWN	79
	CU	20-06-30N 075-23-25W		GUANTANAMO NO. 16	80 81
				1 AAA EMPLACEMENTS, STATUS UNKNOWN	82
	ar.	00 00 50N 00F 22 25N			83
	CU	20-08-50N 075-23-25W		GUANTANANO NO. 17 AAA EMPLACEMENTS,	84
		• •		STATUS UNKNOWN	85
	CU	20-08-50N 075-16-29W		GUANTANAMO NO. 18	86
	CU	20-08-50N 075-10-25W		1 AAA EMPLACEMENTS.	87
		·		STATUS UNKNOWN	88
	CU	20-05-50N 075-13-10W		GUANTANAMO NO.2	89
	CU	20-07-7011 077-1011		3 AAA EMPLACEMENTS,	90
				STATUS UNKNOWN	91
	CU	20-05-5GN 075-33-10W		GUANTANANO NO. 3	
	•	20 0))011 017)) 1011		LIGHT AAA (CALIBER	4 93
				UNKNOWN, 57-MM OR	94
				LESS)	95
	CU	20-05-51N 075-23-11W		GUANTANAMO NO. 4	96
1				1 AAA EMPLACEMENT,	97
				STATUS UNKNOWN .	98
	CU	20-06-09N 075-23-29W		GUANTANAMO NO. 5	99
				1 AAA ENPLACEMENT,	100
				STATUS UNKNOWN	101
	CU	20-06-08N 075-23-28W		GUANTANAMO NO. 6	102
				1 AAA ENPLACEMENT	103
				STATUS UNKNOWN	104
	CU	20-05-50N 075-23-29W		GUANTANAMO NO. 7	105
			•	1 AAA EMPLACEMENT	106
	ar.	00 04 000 000 0		STATUS UNKNOWN	107
	CU	20-06-28N 075-24-00W		GUANTANANO NO. 8	108
			•	1 AAA EMPLACEMENT	109 110
				STATUS UNKNOWN	110

MD	CŃ	AD COORDINATI	ES	C DESIG C E T NAME/EQUIPMENT/REMARKS E	STR C	CAPAB LINE
	CU	20-06-20N	075-24-08W	GUANTANAMO NO. 9		111
		r.	- ,	4 AAA EMPLACEMENTS,		112
				STATUS UNKNOWN		113
	CU	20-15-//N	076-34-//W	GUISA		114
				QUAD. (4 BARREL	56	115
				TAA MACHINET -		116
		i	:	GUN),	_	117
	· CU	23-06 -0 /N	082-26- 0/W	MABANA (DEF_CAMPO_LIBERTAD	AFLD)	
				18 AAA EMPLACEMENTS,		119
			_	STATUS UNKNOWN		120
	CU	23-05-30N	082-16-50 W	HABANA (DEF CAMPO LIBERTAD		121
				AFLD W)		~ 122
				57-MN WITH RADAR	6	123
	CU	23-09-//N	082-22-//W	HABANA (DEF HOTEL		124
				NACIONAL)		125
				57-MM WITH RADAR	6	126
	CU	23-04-15N	082-20-00W	HABANA NO. 1		127
				57-MM WITH RADAR	6	128
	CU	23-04-15N	082-22-15W	HABANA NO. 2		129
				57-MM WITH RADAR	6	130
	CU	23-06-20N	082-17-35W	HABANA NO. 3	,	131
			040 0- 00-	57-MM WITH RADAR	6	132
	CU	23-04-00N	082-27-20W	HABANA NO. 4	,	133
			040 00 100	57-MM WITH RADAR	6	134
85	CU	23-05-15N	082-27-45W	HABANA NO. 5	,	I 35
7		00 05 15%	040 00 00**	57-MM WITH RADAR .	6	136
	CU	23-05-17N	082-30-00W	HABANA (DEF SANTA FE)	6	137
				30-MM TWIN; 6 57-MM	ь	138
	· CIT	00 00 000	000 05 05	WITH RADAR		139
	CO	23-03-35N	082-25-05W	HABANA (DEF TOLEDO)	6	140
	Ctt	22 00 251	000 10 150	57-MM WITH RADAR	0	141
	CU	とう-UO-LON	082-17-15W	HABANA (DEF VIA BLANCA)	6	142
	CU	20 E2 09N	076-14-0/W	57-MM WITH RADAR	О	143 144
	UU	といーフラーひ/19	0/0-14-0/W	HOLGUIN		144
7	:			6 AAA EMPLACEMENTS,		145
				OCCUPIED		149

M	D CN A	D COORDINATES	C DESIG C E NAME/EQUIPMENT/REMARKS	E STR C C	APAB LINE
	CU	22-57-//N 081-13-//W	LAGUNILLAS		147
			QUAD (4 BARREL AA	12	148
			MACHINE GUN)		149
	,CU	21-38-//N 081-28-//W	LARGO ISLAND.		150
	. Orr	00 01 010 000 00 0	37-MN AAA	6	151
	CU	20-04-0/N 075-09-d/W	LOS CANOS (DEF LOS		152
			CANOS AFLD)		153
		0	7 AAA ENPLACEMENTS,		154
	CU	21-38-0/N 082-57-0/W	STATUS UNKNOWN		155
		21-30-U/N U02-37-U/W	LOS INDIOS (DL?		156
			SIGUANEA AFLD)		157
		• • •	6 AAA ENPLACEMENIS,		158
			STATUS UNKNOWN;	_	159
4.			QUAD (4 BARREL AA	24	160
	· CU	22-58-0/N 082-18-0/W	MACHINE GUN)		161
		== ye oy coz=10=0}	MANAGUA (DEF BTRY		162
			CAMP MANAGUA NO. 1) 30-MM TWIN	,	163
	CU	22-57-38N 082-15-50W	MANAGUA (DEF ₁ BTRY	<u>,</u> 6	164
		191 9011 0011 19 9011	CAMP MANAGUA (DEF. DIRI		165
			57-MM WITH RADAR	6	166
	CU	22-57-50N 082-16-35W	MANAGUA (DEF BTRY	0	167
			CAMP MANAGUA NO. 4)		168
			57-MM AAA WITHOUT	. 3	169
			RADAR.	, · • •	170 1 71
18658	CU	22-58-03N 082-18-42W	MANAGUA (DEF BTRY		172
		*	CAMP MANAGUA NO. 2)		172
			57-MM WITH RADAR	6	174
	CU	23-01-25N 082-45-05W	MARIEL	J	175
			8 AAA EMPLACEMENTS.		176
			STATUS UNKNOWN	-	177
:	CU	23-00-50N 082-49-50W	MARIEL (DEF GUNAJAY) .		178
			57-MM WITHOUT RADAR;		179
	*		LIGHT AAA (CALIBER		180
			UNKNOWN, 57-MM OR LESS)		181

		*	the second secon		
MD CN AL	COORDINATES	C DESIG C E T	NAME/EQUIPMENT/REMARKS	E STR C	CAPAB LINE
·cu	23-00-30N 082-44-30W	•	MARIEL (DEF SITE EAST)		182
	<u> </u>		57-MM WITH RADAR	6	183
CU	23-04-0/N 081-36-Q/W		MATANZAS (DEF MESA		184
			AREA)		185
		•	AAA ENPLACEMENT,	-	186
	,		STATUS UNKNOWN		187
·CU	23-01-0/N 081-33-0/W		MATANZAS BTRY LAS		188
	•		CUEVAS DE BELLAMAR		189
			QUAD (4 BARREL AA	-24	190
			MACHINE GUN)		191
CU	21-55-0/N 082-48-0/W		NUEVA GERONA (DEF		192
			NORTH)		193
	•	•	QUAD (4 BARREL AA	22	- 194
			MACHINE GUN)		195
CU	21-52-0/N 082-46-0/W		NUEVA GERONA (DEF		196
			Sputh) :	•	197
	•		QUAD (4 BARREL AA	18	198
			MACHINE .GUN)		199
CU	22-25 -0/ N 083-40-0/W		PINAR DEL RIO		200
	•		3 AAA ENPLACEMENTS.		201
			STATUS UNKNOWN		202
CU	23-02-0/N 082-35-0/W		PLAYA DE BARACOA		203
			LIGHT AAA (CALIBER	6	204
			UNKNOWN - 57-MM OR	•	205
			LESS); 16 AAA EM-		206
 *	•		PLACEMENT, STATUS		*207
₹ . *****			UNKNOWN_		208
CU	23-10-0/N 082-06-0/W		PLAYA DE GUANABO		209
	•	ŧ	QUAD (4: BARREL AA	4	210
_	1		MACHINE .GUN)		211 ⁻
CU	22-27-0/N 079-39-0/W		REMEDIOS	•	212
•			8 AAA EMPLACEMENTS,	*	213
			OCCUPIED		214
CU	22-52-0/N 082-31-0/W	٠,	SAN ANTONIO DE LOS	•	215
	••		BANOS		216
	•	· .	18 LIGHT AAA (CALIBER		217
			UNKNOWN, 57-MM OR LESS);		218
	**************************************	• •	57-MM WITH RADAR	6	219

MD	CN AD	COORDINATES	}	C DESIG C E T	NAME/EQUIPMENT/REMARKS	E STR C	CAPAB LINE
	,CA	22-40-10N 0	84-17-15W		SAN CRISTOBAL		220
				•	SITE 1		221
					57-MM AAA WITH	6	222
					RADAR		223
	·CU	22-41-0/N 0	83-15-0/W		SAN CRISTOBAL		224
		•	•		SITE 2		225
					57-MM AAA WITH	6	226
		•			RADAR; 30-MM	6	227
			۵.		TWIN AAA		228
	.CA	22-43-0/N 0	183-08-0/W		SAN CRISTOBAL		229
		•	•		SITE 3		230
					57-NM AAA WITH	6	- 231
					RADAR; 6 AAA		· 232
					EMPLACEMENTS		233
			ws.		STATUS UNKNOWN		234
	:CA	22-46-0/N 0	182-58-0/W		SAN CRISTOBAL		235
					SITE 4	,	236
	•				57-MM AAA WITH	6	237
					RADAR; 6 AAA		238
					EMPLACEMENTS		239
			4		STATUS UNKNOWN		240
	CU	20-37-0/N 0)76-09 -0/W		SAN GERMAN		241
		. i .			57-MM WITH RADAR	11	242
	CU	22-56-0/N C)82-11 -0/W		SAN JOSE DE LAS LAJAS		243
			•		AAA EMPLACEMENT.		• 244
RES.		L			UNOCCUPIED :		245
	CU	22-06-0/N C	084-09-07W		SAN JULIAN	000	246
					30-MM TWIN AAA	27	247
	CU	22-04-0/N C	084-09-07W		SAN JULIAN ASIENTO		248
					VIEJO	,	249
		•			QUAD (4 BARREL AA	6	250
			ana uu adee		MACHINE GUN)		251 252
	CU	22-29-0/N C)79-55-0/W		SANTA CLARA (DEF		253
					SANTA CLARA AFLD)	8	253 254
		•			30-MM TWIN;	3	255
					QUAD (4 BARREL AA)	256
					MACHINE GUNS)		470

		•		0:11 (10 02:10
		DANTA CAUS DEL WATE	•	631
		QUAL IN DAMMEL AA	و	
		MACHINE GUN,	.,	< วิดี
	エンラン 砂川 しょう こうじんじ	شقر المناس المنا		407
			- ~	200
		AAA DEF BIKY		261
		LIGHT AAA (CALIBER	30	262
		UNKNOWN, 57-MM OR		263
c.	20.00.001.001	LESS)		264
·CU	20-02-13N 075-40-35W	SANTIAGO DE CUBA		265
		AAA DEF BTRY 1		266
		7 AAA EMPLACEMENT.		267
		STATUS UNKNOWN		268
CU	23-03-0/N 082-06-0/V	TAPASTE AAA BTRI		
		MIRADOR DE LA HABANA		-209
			_	270
		QUAD (4 BARREL AA	2	271
CU	2302-0/N 082-06-0/W	MACHINE GUN)		272
CO	23-02-0/11 082-05-0/W	TAPASTE (DEF CUEVAS		273
		DEL CURA)		274
		QUAD (4 BARREL AA	6	275
		MACHINE GUN)	_	276
CU	23-10 -0/ M 082-15-0/W	TARARA		277
				211

เลี้ยงสังเรารับชองชังชองกา

CU

21-48-//N 079-59-//W

-

6 AAA EMPLACEMENTS.

QUAD (4 BARREL AA MACHINE GUN)

STATUS UNKNOWN

TRINIDAD .

278

279

280

- 281 282